

Town of Port Washington

Request For Bid

CONCRETE PAD SPECIFICATION / SCOPE OF WORK

The Town of Port Washington has a new recycling/trash shelter, located at 3715 Highland Drive, Port Washington. The town is seeking bids for the following work:

The north end of the recycling/trash shelter will be where the garbage trucks back in and load/unload the dumpsters. Work to be complete by November 4, 2022

- The existing 4' x 38' walk away on the north side will have to be removed so the new pour is flush with the building foundation
- Excavate and supply approx. 110' of 6" schedule 35 pipe for the 2 downspouts on the north end and bury to daylight at N/W end of lot.
- Reset 2 existing Pipe Bollards
- Pour new concrete apron per attached drawing
  - Specs: 6 bag low chert concrete with a broom texture finish
  - Concrete to be a min of 6" thick with 1 ½ # of forta fiber per yard.
- Concrete to be doweled into the existing floating grade beam foundation with #4 rod installed on 24" centers.
- Sawed control joints with a curing agent applied
- Grade excess gravel along drives to allow for transition.

For more information please contact:

Mike Didier, Chairman

[Mike@mikedidier.com](mailto:Mike@mikedidier.com)

414-573-0018

Submit bids to:

Town of Port Washington

3715 Highland Drive

Port Washington, WI 53074

[clerk@town.port-washington.wi.us](mailto:clerk@town.port-washington.wi.us)

262-284-5235